



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS,
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/024,767	12/19/2001	Siegfried Wurzer	AT 000073	3978

24737 7590 03/23/2007
PHILIPS INTELLECTUAL PROPERTY & STANDARDS
P.O. BOX 3001
BRIARCLIFF MANOR, NY 10510

EXAMINER

SHIBRU, HELEN

ART UNIT PAPER NUMBER

2621

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	03/23/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary	Application No.	Applicant(s)	
	10/024,767	WURZER, SIEGFRIED	
	Examiner	Art Unit	
	HELEN SHIBRU	2621	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 December 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. The amendments, filed 12/29/2006, have been entered and made of record. Claims 1-6 are pending.

Response to Arguments

2. Applicant's arguments with respect to claims 1-6 have been considered but are moot in view of the new ground(s) of rejection.

Drawings

3. Figures 1, 3-4 are objected to under 37 CFR 1.83(a) again because they fail to show the proper labels or legend corresponding to **all blocks** as described in the specification. For example blocks 15, 16, 26, 27 in fig. 4 do not show the legend. Any structural detail that is essential for a proper understanding of the disclosed invention should be shown in the drawing. MPEP § 608.02(d). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be

Art Unit: 2621

necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka (US Pat. No. 6,983,099) in view of Yuen (US PG PUB 2003/0190138).

Regarding claim 1, Tanaka discloses an arrangement which can be activated for an operating time, the arrangement comprising:

a modular unit that can be started and stopped (see col. 7 lines 23-37),
starting means which are designated for starting the modular unit (see col. 6 lines 53-63),
stopping means which are designed for stopping the started modular unit, the stopping means comprising (see col. 7 lines 5-13):
delay means which are designed for delaying the stopping of the modular unit in accordance with a run-out time during the operating time of the arrangement (see col. 7 lines 38-53), and

changing means which are designed for changing the run-out time (outpoint is changed from 0:00:51:02-0:00:51:05).

Claim 1 differs from Tanaka in that the claim further requires the run-out time is independent of a delay, if any, in the starting of the modular unit.

In the same field of endeavor Yuen discloses starting VCR to record a specific program (see paragraph 0366, claims 7 and 9 and fig. 92). Yuen further discloses recording time will be changed if the duration of the program is extended (see paragraphs 0779-0785). Therefore in light of the teaching in Yuen it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Tanaka by changing recording stop time after recording started in order to record the entire program if program is extended.

Regarding claim 2, Tanaka discloses the stopping means have counting means which are designed for counting start/stop cycles of the modular unit, and in which the changing means are designed for changing the run-out time as a function of the counted start/stop cycles (see after a delay of three frames run-out time is changed. See rejection of claim 1. See also col. 7 lines 38-52 and Yuen paragraphs 0781-0787).

Regarding claim 3, Tanaka discloses frequency-processing means provided which are designed for processing the frequency of the occurrence of an operating state of the modular unit, and in which the changing means are designed for changing the run out time as a function of a processing result of the frequency processing means (see col. 7 lines 33-37 and 53-67, the run-out time is changing based on the out point. See also figure 9 and Yuen's paragraphs 0779-0787).

Regarding claim 4, Tanaka discloses the frequency-processing means are designed for processing the frequency of the occurrence of the started operating state of the modular unit (see col. 7 lines 44-52, after the in point is set by the user first. See also figure 9, and Yuen's figures 92 and 94 and claim 1 rejection above).

Regarding claim 5, Tanaka discloses the frequency-processing means are designed for processing the frequency of the occurrence of an operating state of the modular unit within an observation time interval (see figure 9 the change is made within the observation time interval and see Yuen's figures 92a-c).

Regarding claim 6, Tanaka discloses the frequency-processing means are designed for processing the frequency of the occurrence of a change in operating state of the modular unit within an observation time interval (see figure 9 and Yuen's figures 90 j-m).

Applicant's arguments in page 7 paragraph 3 of the remark regarding claims 2-6 do not comply with 37 CFR 1.111(c) because they do not clearly point out the patentable novelty which he or she thinks the claims present in view of the state of the art disclosed by the references cited or the objections made.

Conclusion

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO**

Art Unit: 2621


MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to HELEN SHIBRU whose telephone number is (571) 272-7329. The examiner can normally be reached on M-F, 8:30AM-5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, THAI Q. TRAN can be reached on (571) 272-7382. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Helen Shibru


THAI Q. TRAN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600